EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1209	(@ad<"20000509" @rlad<"20000509") and (($3generat$3 $3build bind $3 cast$5 link$5 $3install $5) near3 (parameter context attribute meta$5 authentication credential token key certificate)) and ((URL URI (service adj address)) near9 (parameter context attribute meta$5 authentication credential token key certificate dtd schema style$5 xml adapt$4 interface api ((messag$3 data service) adj (structure model representation adaptor handl$3 gate endpoint node connector))))	US-PGPUB; USPAT	OR	OFF	2008/10/22 13:42
L2	170	L1 and (($3generat$3 $3build bind$5 cast$5 link $5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data service) adj (structure model representation adaptor handl$3 gate endpoint node connector))) and (($3generat$3 $3build bind $5 cast$5 link$5 $3install) near9 (device local node cell $5 phone terminal $5station internal))) and "709".clas.	US-PGPUB; USPAT	OR	OFF	2008/10/22 13:42

L3	319	L1 and (($3generat$3 $3build bind$5 cast$5 link $5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data service) adj (structure model representation adaptor handl$3 gate endpoint node connector))) and (($3generat$3 $3build bind $5 cast$5 link$5 $3install) near9 (device local node cell $5 phone terminal $5station internal))) not l2	US-PGPUB; USPAT	OR	OFF	2008/10/22 13:46
S1	3	("6842903" "6560633" "20020062334").pn.	US-PGPUB; USPAT	OR	OFF	2008/10/22 09:06
S2	402	(@ad<"20000509" @rlad<"20000509") and (($3generat$3 $3build bind $3 cast$5 link$5 $3install $5) near3 (parameter context attribute meta$5 authentication credential token key certificate)) and ((URL URI (service adj address)) near9 (parameter context attribute meta$5 authentication credential token key certificate)) and (($3generat$3 $3build bind $5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data) adj (structure model representation adaptor handl $3 gate endpoint node))) and (($3generat$3 $3build bind$5 cast$5 link$5 $3install) near9 (device local node cell$5 phone terminal $5station internal)))	US-PGPUB; USPAT	OR	OFF	2008/10/22 09:42

S3	1209	(@ad<"20000509" @rlad<"20000509") and (($3generat$3 $3build bind $3 cast$5 link$5 $3install $5) near3 (parameter context attribute meta$5 authentication credential token key certificate)) and ((URL URI (service adj address)) near9 (parameter context attribute meta$5 authentication credential token key certificate dtd schema style$5 xml adapt$4 interface api ((messag$3 data service) adj (structure model representation adaptor handl$3 gate endpoint node connector))))	US-PGPUB; USPAT	OR	OFF	2008/10/22 10:43
S4	489	S3 and (($3generat$3 $3build bind$5 cast$5 link $5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data service) adj (structure model representation adaptor handl$3 gate endpoint node connector))) and (($3generat$3 $3build bind $5 cast$5 link$5 $3install) near9 (device local node cell $5 phone terminal $5station internal)))	US-PGPUB; USPAT	OR	OFF	2008/10/22 10:44
S5	6	S4 and ((URL URI (service adj address)) near9 (parameter context attribute meta$5 authentication credential token key certificate dtd schema style $5 xml adapt$4 interface api ((messag$3 data service) adj (structure model representation adaptor handl$3 gate endpoint node connector)))).ab.	US-PGPUB; USPAT	OR	OFF	2008/10/22 10:44
S6	256	S4 and ("709" "715").clas.	US-PGPUB; USPAT	OR	OFF	2008/10/22 10:52

S7	17	S6 and ((dynamic) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data service) adj (structure model representation adaptor handl $3 gate endpoint node connector)))) and plug$5	US-PGPUB; USPAT	OR	OFF	2008/10/22 10:53
S8	5	(@ad<"20000509" @rlad<"20000509") and (($3generat$3 $3build bind $3 cast$5 link$5 $3install $5) near3 (parameter context attribute meta$5 authentication credential token key certificate)).clm. and ((URL URI ((service application) adj (address location)) near9 (parameter context attribute meta$5 authentication credential token key certificate dtd schema style $5 xml adapt$4 interface api ((messag$3 data service application) adj (structure model representation adaptor handl $3 gate endpoint node connector)))).clm. and (($3generat$3 $3build bind $5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data service application) adj (structure model representation adaptor handl$3 gate endpoint node connector))).clm. and (($3generat$3 $3build bind $5 cast$5 link$5 $3install) near9 (device local node cell $5 phone terminal $5station internal))) and plug$5	US-PGPUB; USPAT	OR	OFF	2008/10/22 11:01

| S9 | 18 | (($3generat$3 $3build bind $3 cast$5 link$5 $3install $5) near3 (parameter context attribute meta$5 authentication credential token key certificate)).clm. and ((URL URI ((service application) adj (address location)) near9 (parameter context attribute meta$5 authentication credential token key certificate dtd schema style $5 xml adapt$4 interface api ((messag$3 data service application) adj (structure model representation adaptor handl $3 gate endpoint node connector)))).clm. and (($3generat$3 $3build bind $5 cast$5 link$5) near9 (dtd schema style$5 xml adapt$4 interface api ((messag$3 data service application) adj (structure model representation adaptor handl$3 gate endpoint node connector))).clm. and (($3generat$3 $3build bind $5 cast$5 link$5 $3install) near9 (device local node cell $5 phone terminal $5station internal)))) and plug$5 not S8 | US-PGPUB; USPAT | OR | OFF | 2008/10/22 11:03 |